# Space Weather Highlights 10 July – 16 July 2006

SEC PRF 1611 18 July 2006

Solar activity was at very low levels. Region 899 (S05, L=231, class/area, Dso/100 on 06 July) decayed to an simple alpha group by 13 July and was no longer visible by 14 July. New Region 900 (S05, L=139, class/area, Cao/050 on 15 July) appeared and was numbered on 14 July. This region showed little growth in area, however spot count did increase. No greater than 10 MeV proton events were observed. No greater than 2 MeV electron flux at geosynchronous orbit was at normal levels. The geomagnetic field ranged from quiet to active levels at middle latitudes, while quiet to minor storm levels were observed at high latitudes. Solar wind speed ranged from a low of around 320 km/s early on 11 July to a high of near 550 km/s late on 12 July. The period began with wind speed around 420 km/s with the IMF Bz rotating from approximately +3 nT to -5 nT as the effects of a glancing blow from the 06 July CME were still geoeffective. As a result, quiet to active periods were observed at middle latitudes with quiet to minor storm periods at high latitudes. Approximately midday on 11 July, a coronal hole high speed stream moved into geoeffective position. By late on 11 July, the IMF Bz oscillated between +/- 10 nT and solar wind speed began a slow rise to near 550 km/s by late on the 12th. The geomagnetic field responded with unsettled to minor storm conditions at high latitudes midday on 12 July with only several unsettled periods observed at middle latitudes. By midday on 13 July, solar wind speed began a gradual decline and the IMF Bz became quiet, not varying much beyond +/- 2 nT. These conditions persisted through midday on 14 July when the IMF Bz showed southward excursions to -10 nT due to effects from a solar sector boundary crossing. As a result, the geomagnetic field became unsettled to active at middle latitudes with minor storming at high latitudes on 14 July. By 15 July, the IMF Bz relaxed to not vary much beyond +/- 3 nT and the geomagnetic field became mostly quiet at all latitudes. The period ended with the wind speed around 375 km/s.

### Space Weather Outlook 19 July – 14 August 2006

Solar activity is expected to be at very low to low levels.

No greater than 10 MeV proton events are expected.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at high levels on 19 July and again on 02-05 August.

The geomagnetic field is expected to be mostly quiet to unsettled for the majority of the forecast period. Recurrent coronal hole high speed wind streams are expected to rotate into geoeffective positions on 25-26 July, and again on 31 July -01 August. Active to minor storm periods are possible on 31 July -01 August while unsettled to active periods are possible on 25-26 July and again on 07-08 August.



Daily Solar Data

				2009 80								
·	Radio	Sun	Sunspot	X-ray				Flares				
	Flux	spot	Area	Background	X	-ray F	lux		Op	otical		
Date	10.7 cm	No.	<u>(10<sup>-6</sup> hemi.)</u>	)	С	M	X	S	1	2	3	4
10 July	73	18	30	A2.8	0	0	0	0	0	0	0	0
11 July	71	13	20	A1.7	0	0	0	0	0	0	0	0
12 July	71	12	10	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
13 July	70	11	1	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
14 July	71	15	40	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
15 July	70	17	50	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0
16 July	71	20	40	<a1.0< td=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></a1.0<>	0	0	0	0	0	0	0	0

# Daily Particle Data

		oton Fluence ons/cm <sup>2</sup> -day-si	r)	Electron Fluence (electrons/cm²-day-sr)
Date	>1 MeV	>10 MeV	>100 MeV	>.6 MeV >2MeV >4 MeV
10 July	1.5E+6	1.5E+4	2.9E+3	9.5E+6
11 July	7.3E+5	1.4E+4	2.7E+3	1.2E+6
12 July	8.5E+5	1.5E+4	2.9E+3	1.9E+6
13 July	3.9E + 5	1.6E+4	4.0E+3	4.0E+6
14 July	1.5E+6	1.5E+4	3.8E+3	5.3E+6
15 July	3.1E+5	1.7E+4	4.0E+3	4.9E+6
16 July	3.2E+5	1.6E+4	3.9E+3	9.1E+6

Daily Geomagnetic Data

		L	лину С	jeomagnene Dana		
	M	liddle Latitude	]	High Latitude	I	Estimated
	F	Fredericksburg		College	]	Planetary
Date	A	K-indices	Α	K-indices	A	K-indices
10 July	12	4-2-1-2-3-3-3-2	18	3-2-1-4-5-4-3-1	11	3-2-1-2-3-3-3
11 July	5	0-1-1-1-2-2-2	4	0-1-1-0-1-2-2-2	7	1-1-1-2-2-3-3
12 July	9	2-1-3-3-3-2-1-2	18	2-2-3-5-5-2-2-2	12	3-2-3-4-4-2-1-2
13 July	3	1-2-1-1-0-1-1-1	5	2-3-2-2-1-0-0-0	5	2-2-2-1-1-1-0-2
14 July	10	1-2-1-1-4-3-3-2	17	1-2-1-1-5-5-3-2	14	1-1-0-2-3-4-4-3
15 July	5	1-2-2-2-1-1-1	10	1-2-2-4-4-1-1-0	6	2-2-2-2-2-1-2
16 July	2	0-2-1-1-0-1-1-0	2	0-1-1-1-0-1-0-0	4	1-2-1-0-1-1-0-1




#### Alerts and Warnings Issued

	8	
Date & Time of Issue	Type of Alert or Warning	Date & Time of Event UTC
10 July 0007	SUMMARY: Geomagnetic Sudden Impulse	09 July 2137
12 July 0712	ALERT: Geomagnetic K=4	12 July 0711
12 July 0713	WARNING: Geomagnetic K=4	12 July 0715
12 July 1253	ALERT: Geomagnetic K=4	12 July 1253
14 July 1651	ALERT: Geomagnetic K=4	14 July 1649
•	•	-



## Twenty-seven Day Outlook



	Radio Flux	Planetary	Largest		Radio Flux	R Planetary	Largest
Date	10.7 cm	A Index	Kp Index	Date	10.7 cm	A Index	Kp Index
19 July	70	5	2	02 Aug	75	10	3
20	70	5	2	03	7	58	3
21	70	5	2	04	75	5	2
22	70	5	2	05	75	5	2
23	70	5	2	06	70	10	3
24	70	5	2	07	70	12	3
25	75	15	4	08	70	12	3
26	75	12	3	09	70	8	3
27	75	10	3	10	70	15	4
28	75	8	3	11	70	8	3
29	75	5	2	12	70	5	2
30	75	8	3	13	70	5	2
31	75	15	4	14	70	8	3
01 Aug	75	20	5				



**Energetic Events** 

					2	***************************************					
	Time			X-ray	Op	tical Information	1	Peak	Sweep Freq		
Date			1/2	Integ	Imp/	Location	Rgn	Radio Flux	Intensity		
	Begin	Max	Max	Class Flux	Brtns	Lat CMD	#	245 2695	II IV		
No Eve	ents Obser	ved									

Flare I ist

Optical  Time X-ray Imp / Location Rgn  Date Begin Max End Class. Brtns Lat CMD	
Date Begin Max End Class. Brtns Lat CMD	
10.7.1	
10 July None Observed	
11 July None Observed	
12 July None Observed	
13 July None Observed	
14 July None Observed	
15 July None Observed	
16 July None Observed	

Region Summary

	Location		Sunspot	Characte	ristics						
			•	Flares							
	Helio	Area	Extent	Spot	Spot	Mag	X-ray		)ptical	_	
Date	(°Lat°CMD) Lon	(10 <sup>-6</sup> hemi)	(helio)	Class	Count	Class	C M X	S 1	2 3	4	

# Region 899

05 Jul	S05E69	232	0090	07	Dro	002	В
06 Jul	S05E56	231	0100	09	Dso	006	В
07 Jul	S05E40	234	0080	09	Dao	007	В
08 Jul	S05E27	234	0060	08	Dao	005	В
09 Jul	S06E15	233	0040	07	Cao	006	В
10 Jul	S06W05	240	0030	07	Cso	800	В
11 Jul	S06W18	240	0020	03	Bxo	003	В
12 Jul	S05W28	236	0010	04	Bxo	002	В
13 Jul	S05W41	236	0001	00	Axx	001	A
14 Jul	S04W53	235					
15 Jul	S04W66	235					

0 0 0 0 0 0 0 0

Still on Disk.

16 Jul S04W79

Absolute heliographic longitude: 240

235



Region Summary-Continued

	Location	on		Sunspot	Character	ristics									
					Flares										
		Helio	Area	Extent	Spot	Spot	Mag		X-ra	ıy		(	)ptic	al	
Date	(° Lat° CMD)	Lon	(10 <sup>-6</sup> hemi	) (helio)	Class	Count	Class	C	M	X	S	1	2	3	4
	Re	egion 90	0												
14 Jul	S05E43	139	0040	05	Cso	005	В								
15 Jul	S05E30	139	0050	10	Cao	007	В								
16 Jul	S06E16	140	0040	08	Bxo	010	В								
								0	0	0	0	0	0	0	0
Still or	n Disk.														
Absoli	ute heliogra	phic lon	gitude: 140	)											




Recent Solar Indices (preliminary) of the observed monthly mean values

Note   Note		Superat Numbers Padio Flux Coomagnetic									
Month         SEC         RI         RI/SEC         SEC         RI         10.7 cm         Value         Ap         Value           2004           July         87.8         51.0         0.58         68.3         40.2         118.5         105.9         23         13.8           August         69.5         40.9         0.59         66.6         39.3         110.1         105.0         11         13.8           September         50.0         27.7         0.55         63.7         37.6         103.1         103.7         10         13.6           October         77.9         48.4         0.62         61.3         35.9         105.7         102.1         9         13.5           November         70.5         43.7         0.62         60.0         35.4         113.2         101.5         26         14.1           December         34.7         17.9         0.52         58.8         35.3         94.6         101.3         11         14.8           January         52.0         31.3         0.60         57.3         34.7         102.4         100.3         22         14.7 <th col<="" td=""><td></td><td></td><td>-</td><td></td><td></td><td>_</td><td></td><td></td><td>_</td><td></td></th>	<td></td> <td></td> <td>-</td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td>_</td> <td></td>			-			_			_	
Duly   87.8   51.0   0.58   68.3   40.2   118.5   105.9   23   13.8											
July         87.8         51.0         0.58         68.3         40.2         118.5         105.9         23         13.8           August         69.5         40.9         0.59         66.6         39.3         110.1         105.0         11         13.8           September         50.0         27.7         0.55         63.7         37.6         103.1         103.7         10         13.6           October         77.9         48.4         0.62         61.3         35.9         105.7         102.1         9         13.5           November         70.5         43.7         0.62         60.0         35.4         113.2         101.5         26         14.1           December         34.7         17.9         0.52         58.8         35.3         94.6         101.3         11         14.8           2005           January         52.0         31.3         0.60         57.3         34.7         102.4         100.3         22         14.7           February         45.4         29.1         0.64         56.4         34.0         97.3         98.5         11         14.6           March         41	<u>Month</u>	SEC	RI	RI/SEC	<u>SEC</u>	RI	10.7 cm	Value	<u>Ap</u>	Value	
July         87.8         51.0         0.58         68.3         40.2         118.5         105.9         23         13.8           August         69.5         40.9         0.59         66.6         39.3         110.1         105.0         11         13.8           September         50.0         27.7         0.55         63.7         37.6         103.1         103.7         10         13.6           October         77.9         48.4         0.62         61.3         35.9         105.7         102.1         9         13.5           November         70.5         43.7         0.62         60.0         35.4         113.2         101.5         26         14.1           December         34.7         17.9         0.52         58.8         35.3         94.6         101.3         11         14.8           2005           January         52.0         31.3         0.60         57.3         34.7         102.4         100.3         22         14.7           February         45.4         29.1         0.64         56.4         34.0         97.3         98.5         11         14.6           March         41					,	2004					
August 69.5 40.9 0.59 66.6 39.3 110.1 105.0 11 13.8 September 50.0 27.7 0.55 63.7 37.6 103.1 103.7 10 13.6    October 77.9 48.4 0.62 61.3 35.9 105.7 102.1 9 13.5   November 70.5 43.7 0.62 60.0 35.4 113.2 101.5 26 14.1   December 34.7 17.9 0.52 58.8 35.3 94.6 101.3 11 14.8    2005  January 52.0 31.3 0.60 57.3 34.7 102.4 100.3 22 14.7   February 45.4 29.1 0.64 56.4 34.0 97.3 98.5 11 14.6   March 41.0 24.8 0.60 55.8 33.6 90.0 97.2 12 15.3    April 41.5 24.4 0.59 52.6 31.7 85.9 95.5 12 15.7   May 65.4 42.6 0.65 48.3 29.0 99.5 93.2 20 14.8   June 59.8 39.6 0.66 47.9 28.9 93.7 91.9 13 13.9    July 71.0 39.9 0.56 48.1 29.2 96.6 90.9 16 13.1   August 65.6 36.4 0.55 45.4 27.5 90.7 89.3 16 12.2   September 39.2 22.1 0.56 42.9 25.9 90.8 87.8 21 11.8    October 13.0 8.5 0.65 42.6 25.5 76.7 87.4 7 11.6   November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1   December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4    Z006  January 28.0 15.4 0.55   February 5.3 4.7 0.89 76.6 6 6   March 21.3 10.8 0.51 75.5 8    April 55.2 30.2 0.55 89.0 11   May 39.6 22.2 0.56 81.0 88.0					•	2004					
August 69.5 40.9 0.59 66.6 39.3 110.1 105.0 11 13.8 September 50.0 27.7 0.55 63.7 37.6 103.1 103.7 10 13.6    October 77.9 48.4 0.62 61.3 35.9 105.7 102.1 9 13.5   November 70.5 43.7 0.62 60.0 35.4 113.2 101.5 26 14.1   December 34.7 17.9 0.52 58.8 35.3 94.6 101.3 11 14.8    2005  January 52.0 31.3 0.60 57.3 34.7 102.4 100.3 22 14.7   February 45.4 29.1 0.64 56.4 34.0 97.3 98.5 11 14.6   March 41.0 24.8 0.60 55.8 33.6 90.0 97.2 12 15.3    April 41.5 24.4 0.59 52.6 31.7 85.9 95.5 12 15.7   May 65.4 42.6 0.65 48.3 29.0 99.5 93.2 20 14.8   June 59.8 39.6 0.66 47.9 28.9 93.7 91.9 13 13.9    July 71.0 39.9 0.56 48.1 29.2 96.6 90.9 16 13.1   August 65.6 36.4 0.55 45.4 27.5 90.7 89.3 16 12.2   September 39.2 22.1 0.56 42.9 25.9 90.8 87.8 21 11.8    October 13.0 8.5 0.65 42.6 25.5 76.7 87.4 7 11.6   November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1   December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4    Z006  January 28.0 15.4 0.55   February 5.3 4.7 0.89 76.6 6 6   March 21.3 10.8 0.51 75.5 8    April 55.2 30.2 0.55 89.0 11   May 39.6 22.2 0.56 81.0 88.0	Inly	87 <u>8</u>	51.0	0.58	68 3	40.2	118 5	105.9	23	13.8	
September         50.0         27.7         0.55         63.7         37.6         103.1         103.7         10         13.6           October         77.9         48.4         0.62         61.3         35.9         105.7         102.1         9         13.5           November         70.5         43.7         0.62         60.0         35.4         113.2         101.5         26         14.1           December         34.7         17.9         0.52         58.8         35.3         94.6         101.3         11         14.8           2005           January         52.0         31.3         0.60         57.3         34.7         102.4         100.3         22         14.7           February         45.4         29.1         0.64         56.4         34.0         97.3         98.5         11         14.6           March         41.0         24.8         0.60         55.8         33.6         90.0         97.2         12         15.3           April         41.5         24.4         0.59         52.6         31.7         85.9         95.5         12         15.7	•										
October November 77.9         48.4         0.62 0.62         61.3 35.9 105.7 102.1 9 13.5         9 13.5 26 14.1           November 70.5 43.7 0.52         43.7 0.62 60.0 35.4 113.2 101.5 26 14.1         14.1 14.8           2005           January 52.0 31.3 0.60 57.3 34.7 102.4 100.3 22 14.7           February 45.4 29.1 0.64 56.4 34.0 97.3 98.5 11 14.6           March 41.0 24.8 0.60 55.8 33.6 90.0 97.2 12 15.3           April 41.5 24.4 0.59 52.6 31.7 85.9 95.5 12 15.7           May 65.4 42.6 0.65 48.3 29.0 99.5 93.2 20 14.8           June 59.8 39.6 0.66 47.9 28.9 93.7 91.9 13 13.9           July 71.0 39.9 0.56 48.1 29.2 96.6 90.9 16 13.1           August 65.6 36.4 0.55 45.4 27.5 90.7 89.3 16 12.2           September 39.2 22.1 0.56 42.9 25.9 90.8 87.8 21 11.8           October 13.0 8.5 0.65 42.6 25.5 76.7 87.4 7 11.6           November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1           December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4           December 53.3 4.7 0.89 76.6 6 6 March 21.3 10.8 0.51 75.5 8           April 55.2 30.2 0.55 89.0 11         89.0 11         11 May 39.6 22.2 0.56	_										
November 70.5 43.7 0.62 60.0 35.4 113.2 101.5 26 14.1 December 34.7 17.9 0.52 58.8 35.3 94.6 101.3 11 14.8 2005    January   52.0   31.3   0.60   57.3   34.7   102.4   100.3   22   14.7 February   45.4   29.1   0.64   56.4   34.0   97.3   98.5   11   14.6   March   41.0   24.8   0.60   55.8   33.6   90.0   97.2   12   15.3	September	30.0	21.1	0.55	03.7	37.0	103.1	103.7	10	13.0	
November 70.5 43.7 0.62 60.0 35.4 113.2 101.5 26 14.1 December 34.7 17.9 0.52 58.8 35.3 94.6 101.3 11 14.8 2005    January   52.0   31.3   0.60   57.3   34.7   102.4   100.3   22   14.7 February   45.4   29.1   0.64   56.4   34.0   97.3   98.5   11   14.6   March   41.0   24.8   0.60   55.8   33.6   90.0   97.2   12   15.3	October	77.9	48.4	0.62	61.3	35.9	105.7	102.1	9	13.5	
December         34.7         17.9         0.52         58.8         35.3         94.6         101.3         11         14.8           2005           January         52.0         31.3         0.60         57.3         34.7         102.4         100.3         22         14.7           February         45.4         29.1         0.64         56.4         34.0         97.3         98.5         11         14.6           March         41.0         24.8         0.60         55.8         33.6         90.0         97.2         12         15.3           April         41.5         24.4         0.59         52.6         31.7         85.9         95.5         12         15.7           May         65.4         42.6         0.65         48.3         29.0         99.5         93.2         20         14.8           June         59.8         39.6         0.66         47.9         28.9         93.7         91.9         13         13.9           July         71.0         39.9         0.56         48.1         29.2         96.6         90.9         16         13.1           August         65.6         3											
January   52.0   31.3   0.60   57.3   34.7   102.4   100.3   22   14.7											
January         52.0         31.3         0.60         57.3         34.7         102.4         100.3         22         14.7           February         45.4         29.1         0.64         56.4         34.0         97.3         98.5         11         14.6           March         41.0         24.8         0.60         55.8         33.6         90.0         97.2         12         15.3           April         41.5         24.4         0.59         52.6         31.7         85.9         95.5         12         15.7           May         65.4         42.6         0.65         48.3         29.0         99.5         93.2         20         14.8           June         59.8         39.6         0.66         47.9         28.9         93.7         91.9         13         13.9           July         71.0         39.9         0.56         48.1         29.2         96.6         90.9         16         13.1           August         65.6         36.4         0.55         45.4         27.5         90.7         89.3         16         12.2           September         39.2         22.1         0.56         42.6	Beccineer	5 117	17.0	0.02			<i>y</i> o	101.0		11.0	
February 45.4 29.1 0.64 56.4 34.0 97.3 98.5 11 14.6 March 41.0 24.8 0.60 55.8 33.6 90.0 97.2 12 15.3  April 41.5 24.4 0.59 52.6 31.7 85.9 95.5 12 15.7 May 65.4 42.6 0.65 48.3 29.0 99.5 93.2 20 14.8 June 59.8 39.6 0.66 47.9 28.9 93.7 91.9 13 13.9  July 71.0 39.9 0.56 48.1 29.2 96.6 90.9 16 13.1 August 65.6 36.4 0.55 45.4 27.5 90.7 89.3 16 12.2 September 39.2 22.1 0.56 42.9 25.9 90.8 87.8 21 11.8  October 13.0 8.5 0.65 42.6 25.5 76.7 87.4 7 11.6 November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1 December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4  2006  January 28.0 15.4 0.55 83.8 66 February 5.3 4.7 0.89 76.6 6 6 March 21.3 10.8 0.51 75.5 8  April 55.2 30.2 0.55 89.0 11 May 39.6 22.2 0.56 81.0 88.0					-	2005					
February 45.4 29.1 0.64 56.4 34.0 97.3 98.5 11 14.6 March 41.0 24.8 0.60 55.8 33.6 90.0 97.2 12 15.3  April 41.5 24.4 0.59 52.6 31.7 85.9 95.5 12 15.7 May 65.4 42.6 0.65 48.3 29.0 99.5 93.2 20 14.8 June 59.8 39.6 0.66 47.9 28.9 93.7 91.9 13 13.9  July 71.0 39.9 0.56 48.1 29.2 96.6 90.9 16 13.1 August 65.6 36.4 0.55 45.4 27.5 90.7 89.3 16 12.2 September 39.2 22.1 0.56 42.9 25.9 90.8 87.8 21 11.8  October 13.0 8.5 0.65 42.6 25.5 76.7 87.4 7 11.6 November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1 December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4  2006  January 28.0 15.4 0.55 83.8 66 February 5.3 4.7 0.89 76.6 6 6 March 21.3 10.8 0.51 75.5 8  April 55.2 30.2 0.55 89.0 11 May 39.6 22.2 0.56 81.0 88.0		<b>53</b> 0	21.2	0.60	57.0	245	100.4	100.2	22	1 4 7	
March       41.0       24.8       0.60       55.8       33.6       90.0       97.2       12       15.3         April       41.5       24.4       0.59       52.6       31.7       85.9       95.5       12       15.7         May       65.4       42.6       0.65       48.3       29.0       99.5       93.2       20       14.8         June       59.8       39.6       0.66       47.9       28.9       93.7       91.9       13       13.9         July       71.0       39.9       0.56       48.1       29.2       96.6       90.9       16       13.1         August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2 </td <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	•										
April       41.5       24.4       0.59       52.6       31.7       85.9       95.5       12       15.7         May       65.4       42.6       0.65       48.3       29.0       99.5       93.2       20       14.8         June       59.8       39.6       0.66       47.9       28.9       93.7       91.9       13       13.9         July       71.0       39.9       0.56       48.1       29.2       96.6       90.9       16       13.1         August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         <	•										
May       65.4       42.6       0.65       48.3       29.0       99.5       93.2       20       14.8         June       59.8       39.6       0.66       47.9       28.9       93.7       91.9       13       13.9         July       71.0       39.9       0.56       48.1       29.2       96.6       90.9       16       13.1         August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6       6       6         February	March	41.0	24.8	0.60	55.8	33.6	90.0	97.2	12	15.3	
May       65.4       42.6       0.65       48.3       29.0       99.5       93.2       20       14.8         June       59.8       39.6       0.66       47.9       28.9       93.7       91.9       13       13.9         July       71.0       39.9       0.56       48.1       29.2       96.6       90.9       16       13.1         August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6       6       6       6       6       6 </td <td></td> <td>44.5</td> <td>24.4</td> <td>0.70</td> <td><b>70</b> -</td> <td>21.5</td> <td>0.50</td> <td>0.5.5</td> <td>10</td> <td>4.5.5</td>		44.5	24.4	0.70	<b>70</b> -	21.5	0.50	0.5.5	10	4.5.5	
June       59.8       39.6       0.66       47.9       28.9       93.7       91.9       13       13.9         July       71.0       39.9       0.56       48.1       29.2       96.6       90.9       16       13.1         August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6         February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8	-										
July       71.0       39.9       0.56       48.1       29.2       96.6       90.9       16       13.1         August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6       6         February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2	•										
August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       75.5       8       8       8       0       11       1       1       8       8       0       11       8       1       8       1       1       8       8       1       8       1       8       1       1       1       8<	June	59.8	39.6	0.66	47.9	28.9	93.7	91.9	13	13.9	
August       65.6       36.4       0.55       45.4       27.5       90.7       89.3       16       12.2         September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       75.5       8       8       8       0       11       1       1       8       8       0       11       8       1       8       1       1       8       8       1       8       1       8       1       1       1       8<	T 1	71.0	20.0	0.56	40.1	20.2	066	00.0	1.0	10.1	
September       39.2       22.1       0.56       42.9       25.9       90.8       87.8       21       11.8         October       13.0       8.5       0.65       42.6       25.5       76.7       87.4       7       11.6         November       32.2       18.0       0.56       42.1       24.9       86.3       86.7       8       11.1         December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6         February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2       0.56       81.0       8	•										
October 13.0 8.5 0.65 42.6 25.5 76.7 87.4 7 11.6  November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1  December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4   2006  January 28.0 15.4 0.55 February 5.3 4.7 0.89 March 21.3 10.8 0.51 75.5 8  April 55.2 30.2 0.55 May 39.6 22.2 0.56 81.0 8	•										
November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1 December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4  2006  January 28.0 15.4 0.55 83.8 6 February 5.3 4.7 0.89 76.6 6 March 21.3 10.8 0.51 75.5 8  April 55.2 30.2 0.55 89.0 11 May 39.6 22.2 0.56 81.0 8	September	r 39.2	22.1	0.56	42.9	25.9	90.8	87.8	21	11.8	
November 32.2 18.0 0.56 42.1 24.9 86.3 86.7 8 11.1 December 62.6 41.2 0.66 40.1 23.0 90.8 85.4 7 10.4  2006  January 28.0 15.4 0.55 83.8 6 February 5.3 4.7 0.89 76.6 6 March 21.3 10.8 0.51 75.5 8  April 55.2 30.2 0.55 89.0 11 May 39.6 22.2 0.56 81.0 8	0.41	12.0	0.5	0.65	10.6	25.5	767	07.4	7	11.6	
December       62.6       41.2       0.66       40.1       23.0       90.8       85.4       7       10.4         2006         January       28.0       15.4       0.55       83.8       6         February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2       0.56       81.0       8											
2006       January     28.0     15.4     0.55     83.8     6       February     5.3     4.7     0.89     76.6     6       March     21.3     10.8     0.51     75.5     8       April     55.2     30.2     0.55     89.0     11       May     39.6     22.2     0.56     81.0     8											
January       28.0       15.4       0.55       83.8       6         February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2       0.56       81.0       8	December	62.6	41.2	0.66	40.1	23.0	90.8	85.4	/	10.4	
February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2       0.56       81.0       8					,	2006					
February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2       0.56       81.0       8											
February       5.3       4.7       0.89       76.6       6         March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2       0.56       81.0       8	January	28.0	15.4	0.55			83.8		6		
March       21.3       10.8       0.51       75.5       8         April       55.2       30.2       0.55       89.0       11         May       39.6       22.2       0.56       81.0       8	February	5.3	4.7	0.89			76.6				
May 39.6 22.2 0.56 81.0 8	March	21.3	10.8	0.51			75.5				
May 39.6 22.2 0.56 81.0 8											
May 39.6 22.2 0.56 81.0 8	April	55.2	30.2	0.55			89.0		11		
· · · · · · · · · · · · · · · · · · ·	-		22.2	0.56			81.0		8		
	June		13.9	0.37			80.1		8		

**NOTE:** All smoothed values after September 2002 and monthly values after March 2003 are preliminary estimates. The lowest smoothed sunspot index number for Cycle 22, RI = 8.0, occurred in May 1996. The highest smoothed sunspot number for Cycle 23, RI= 120.8, occurred April 2000. \*After June 1991, the 10.7 cm radio flux data source is Penticton, B.C. Canada. Prior to that, it was Ottawa.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 10 July 2006

*Protons* plot contains the five-minute averaged integral proton flux (protons/cm<sup>2</sup>-sec -sr) as measured by GOES-11 (W135) for each of three energy thresholds: greater than 10, 50, and 100 MeV.


*Electrons* plot contains the five-minute averaged integral electron flux (electrons/cm<sup>2</sup> –sec –sr) with energies greater than 2 MeV at GOES-12 (W075).

*Hp* plot contains the five minute averaged magnetic field H - component in nanoteslas (nT) as measured by GOES-12. The H component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

*Kp* plot contains the estimated planetary 3-hour K-index (derived by the Air Force Weather Agency) in real time from magnetometers at Meanook, Canada; Sitka, AK; Glenlea, Canada; St. Johns, Canada; Ottawa, Canada; Newport, WA; Fredericksburg, VA; Boulder, CO; Fresno, CA and Hartland, UK. These data are made available through cooperation from the Geological Survey of Canada (GSC), British Geological Survey (BGS) and the US Geological Survey. These may differ from the final Kp values derived from a more extensive network of magnetometers.



The data included here are those now available in real time at the SEC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are "global" parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.



Weekly GOES Satellite X-ray and Proton Plots

X-ray plot contains five-minute averaged x-ray flux (watts/m $^2$ ) as measured by GOES 12 (W75) and GOES 10 (W130) in two wavelength bands, .05 - .4 and .1 - .8 nm. The letters A, B, C, M and X refer to x-ray event levels for the .1 - .8 nm band.

Proton plot contains the five-minute averaged integral proton flux (protons/cm<sup>2</sup> –sec-sr) as measured by GOES-11 (W135) for each of the energy thresholds: >1, >10, >30 and >100 MeV. P10 event threshold is 10 pfu (protons/cm<sup>2</sup>-sec-sr) at greater than 10 MeV.

